

156-835^{Q&As}

Check Point Certified Maestro Expert

Pass CheckPoint 156-835 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/156-835.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

What is the purpose of g_tcpdump command?

- A. Collects traffic dump from Sync network
- B. The same as tcpdump, just on Scalable Platform
- C. Collects traffic dump from CIN network
- D. Collects traffic dump from all Active Appliances within Security Group

Correct Answer: D

QUESTION 2

When running ifconfig command on an Appliance, there are interfaces shown in the list: ethl-Sync and eth2-Sync. What is the purpose of these interfaces?

- A. These interfaces are bond members (slaves) of Sync Bond
- B. These interfaces can be used as backup for Sync interface
- C. These interfaces are not in use. Security GW module use Sync interface for synchronization
- D. These interfaces represent physical Sync interface at the front panel of appliance

Correct Answer: D

QUESTION 3

What kinds of transceivers are supported on Orchestrator MHO-140?

A. SFP, QSFP, QSFP28

B. SFP, SFP+, QSFP, QSFP28

C. SFP, SFP+, SFP28

D. SFP+, SFP28, QSFP

Correct Answer: B

QUESTION 4

What is the basic installation sequence of the Orchestrator in case of single Orchestrator?

https://www.leads4pass.com/156-835.html 2024 Latest leads4pass 156-835 PDF and VCE dumps Download



1.
Create a Security Group
2.
Configure Default Gateway
3.
Connect with Serial Console cable to the Orchestrator
4.
Configure IP for one of its Management interfaces
5.
Connect an appliance to a downlink port
6.
Change Orchestrator amount to 1
7.
Browse to the Orchestrator\\'s WebUI
A. 3-4-2-6-5-7-1
B. 3-1-7-2-4-6-5
C. 1-4-2-5-7-3-6
D. 7-4-2-5-3-1-6
Correct Answer: A
QUESTION 5
When running asg perf -v in a Dual-Site environment, we can see only Appliances from one of the sites. That means we\\re working in:
A. VSLS mode
B. Active /Active
C. Active / Standby HA mode
D. This is not Dual-Site, in Dual-Site we always see Appliances from both sites
Correct Answer: C



https://www.leads4pass.com/156-835.html 2024 Latest leads4pass 156-835 PDF and VCE dumps Download

<u>156-835 PDF Dumps</u>

156-835 Study Guide

156-835 Braindumps