Leads4Pass

156-836^{Q&As}

Check Point Certified Maestro Expert - R81 (CCME)

Pass CheckPoint 156-836 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/156-836.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

There are two 10Gbps dual-port NICs and one 40Gbps NIC installed on a 23800 Appliance in slots 1, 2 and 3 accordingly. Which interfaces should be connected to Orchestrator 1 for downlinks\\' intra-orchestrator redundancy when using two Orchestrators?

A. Port 1 in Slot 2 and Port 2 in Slot 1

B. This configuration is not supported

C. Any pair of available ports

D. Port 1 in Slot 1 and Port 2 in Slot 1

Correct Answer: D

QUESTION 2

How many orchestrators may Dual-Site include?

A. 2 or 4

B. 2

C. 1

D. Only 4

Correct Answer: A

QUESTION 3

What is the difference between Dual-Site and Dual-Room?

A. Dual-Room is a kind of Dual-Site deployment within the same building

B. Dual-Room is Active / Standby and Dual-Site is Active / Active

C. Dual-Room is a Single-Site deployment where all Appliances are connected to both orchestrators

D. They are the same

Correct Answer: A

QUESTION 4

The core four manual diagnostic tools include:

asg diag verify, asg perf -v, orch_stat -all, and

A. asg diag verify

B. cpinfo

C. hcp -r all

D. asg stat -v

Correct Answer: D

QUESTION 5

Which distribution mode assigns packets to an SGM based solely on the packet destination IP?

A. User mode

B. Manual mode

C. Network mode

D. Auto-topology mode

Correct Answer: C

Latest 156-836 Dumps   156-836 PDF Dumps   156-836 VCE Dumps