NSE5_FAZ-7.0^{Q&As}

Fortinet NSE 5 - FortiAnalyzer 7.0

Pass Fortinet NSE5_FAZ-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/nse5 faz-7-0.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Consider the CLI command:

configure system global set log-checksum md5 end

What is the purpose of the command?

- A. To add a unique tag to each log to prove that it came from this FortiAnalyzer
- B. To add the MD5 hash value and authentication code
- C. To add a log file checksum
- D. To encrypt log communications

Correct Answer: C

set log-checksum md5 = record log file\\'s MD5 hash value only.

set log-checksum md5-auth = record log file\\'s MD5 hash value and authentication code

QUESTION 2

What is the purpose of employing RAID with FortiAnalyzer?

- A. To introduce redundancy to your log data
- B. To provide data separation between ADOMs
- C. To separate analytical and archive data
- D. To back up your logs

Correct Answer: A

https://en.wikipedia.org/wiki/RAID#:~:text=RAID%20(%22Redundant%20Array%20of%20In expensive,%2C%20performance%20improvement%2C%20or%20both.

QUESTION 3

Which two statements are correct regarding the export and import of playbooks? (Choose two.)

- A. Playbooks can be exported and imported only within the same FortiAnalyzer.
- B. You can export only one playbook at a time.



https://www.leads4pass.com/nse5_faz-7-0.html

2024 Latest leads4pass NSE5_FAZ-7.0 PDF and VCE dumps Download

- C. A playbook that was disabled when it was exported, will be disabled when it is imported.
- D. You can import a playbook even if there is another one with the same name in the destination.

Correct Answer: CD

- D: If the imported playbook has the same name as an existing one, FortiAnalyzer will create a new name that includes a timestamp to avoid conflicts.
- C: Playbooks are imported with the same status they had (enabled or disabled) when they were exported. Playbooks set to run automatically should be exported while they are disabled to avoid unintended runs on the destination.

QUESTION 4

Which daemon is responsible for enforcing the log file size?

- A. sqlplugind
- B. logfiled
- C. miglogd
- D. ofrpd

Correct Answer: B

Disk quota enforcement is performed by different processes:

The logfiled process enforces the log file size and is also responsible for disk quota enforcement by monitoring the other processes.

FortiAnalyzer_7.0_Study_Guide-Online pag. 121

QUESTION 5

If the primary FortiAnalyzer in an HA cluster fails, how is the new primary elected?

- A. The configured IP address is checked first.
- B. The active port number is checked first.
- C. The firmware version is checked first.
- D. The configured priority is checked first

Correct Answer: D

In the case of a primary device failure, FortiAnalyzer HA uses the following rules to select a new primary:

Test

NSE5 FAZ-7.0 Practice NSE5 FAZ-7.0 Study Guide

NSE5 FAZ-7.0 Exam Questions