

# QSDA2022<sup>Q&As</sup>

Qlik Sense Data Architect Certification-2022

## Pass Qlik QSDA2022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/qsd2022.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

A company needs to analyze sales data based on the exchange rate of the different countries every day. About 30 reports must be produced with an average of 20,000 rows each. This process is estimated to take about three hours. Reports will be in Excel and distributed to business users according to defined security rules.

Which two products should the data architect use to build this solution? (Select two.)

- A. QlikGeoAnalytics
- B. ODAG
- C. QlikDataMarket
- D. Qlik Storytelling
- E. Qlik NPrinting

Correct Answer: BE

Explanation: The best answer choices are B. ODAG and E. Qlik NPrinting. ODAG (On Demand Application Generation) is a product from Qlik that can be used to quickly generate reports from large datasets. It can produce reports with up to 20,000 rows and can do so in less than three hours. NPrinting is a product from Qlik that can be used to distribute the reports in Excel format according to the defined security rules.

---

## QUESTION 2

A data architect wants to combine data on present and historic sales performance. The historic data is stored in a de-normalized archive, and the present data is maintained in a database. The output must be contained in a single table. Which script should the data architect use?

A.

```
// ***** Load data *****
SalesPeople:
LOAD ID, Name;
SQL SELECT ID, Name FROM Employees;
Quotas:
INNER JOIN(SalesPeople)
LOAD ID, Value;
SQL SELECT ID, Value FROM Quotas;
Temp:LOAD ID, Name, Value
FROM [lib://Archived/ArchiveData.xlsx]
(ooxml, embedded labels, table is Data);
CONCATENATE(SalesPerson)
LOAD * RESIDENT Temp;
```

B.

```
// ***** Load data *****
Legacy:
LOAD ID, Name, Value FROM [lib://Archived/ArchiveData.xlsx]
(ooxml, embedded labels, table is Data);
SalesPeople:
LOAD ID, Name;
SQL SELECT ID, Name FROM Employees;
Quotas:
INNER JOIN(SalesPeople)
LOAD ID, Value;
SQL SELECT ID, Value FROM Quotas;
```

C.

```
// ***** Load data *****
SalesPeople:
LOAD ID, Name;
SQL SELECT ID, Name FROM Employees;
Quotas:
INNER JOIN(SalesPeople)
LOAD ID, Value;
SQL SELECT ID, Value FROM Quotas;
Legacy:
LOAD ID, Name, Value FROM [lib://Archived/ArchiveData.xlsx]
(ooxml, embedded labels, table is Data);
```

D.

```
// ***** Load data *****
Legacy:
LOAD ID, Name, Value FROM [lib://Archived/ArchiveData.xlsx]
(ooxml, embedded labels, table is Data);
Concatenate(Legacy)
SalesPeople:
LOAD ID, Name;
SQL SELECT ID, Name FROM Employees;
Quotas:
INNER JOIN(SalesPeople)
LOAD ID, Value;
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

---

### QUESTION 3

Refer to the exhibit.

```
LIB CONNECT TO 'SQL (abc_qservice)';

OrderHeader:
LOAD CustomerID,
      EmployeeID,
      OrderDate,
      OrderID;
SQL SELECT CustomerID,
      EmployeeID,
      OrderDate,
      OrderID
FROM orders;

OrderData:
LOAD
      OrderID,
      OrderSalesAmount
FROM [lib://QVD (abc_qservice)/OrderData.qvd]
(qvd);

OrderDetail:
LOAD LineNo,
      OrderID,
      ProductNumber,
      Price;
SQL SELECT *
FROM orderdetails;
```

An existing app on Qlik Sense Enterprise is duplicated and transferred to a data architect to add some additional data. When trying to manually reload the original script, the data architect receives an error. What should be done to make sure the script runs correctly?

A. Add the line `lib connect to \QVD(abc_qservice/orderData.qvd) \;` before the LOAD for the Order Data table

B. Add the line `lib connect to \SQL (abc_qs9rvi.es) \;` before the LOAD for the Order Detail table

C. Give the data architect the Read rights on the data connections in the QMC

D. Make the data architect the owner of the app in the QMC

Correct Answer: C

---

#### QUESTION 4

Refer to the exhibit.



The data architect needs to build a model that contains Sales and Budget data for each customer. Some customers have Sales without a Budget, and other customers have a Budget with no Sales

During loading, the data architect resolves a synthetic key by creating the composite key

For validation, the data architect creates a table containing Customer, Month, Sales, and Budget columns.

What does the data architect see when selecting a month?

- A. All Customers, all Budget and all Sales records
- B. Customer and Sales records for that month, but missing values for Budget
- C. Customer and Budget records for that month, but missing values for Sales
- D. Customer, Sales, and Budget records for that month

Correct Answer: D

---

#### QUESTION 5

Refer to the exhibit.





CustomerID	CustomerName	Country
A1537438	Durgan Ltd	United Kingdom
A3055345	Kertzmann and Sons	United States of America
I1803273	Weissnat, Morar and Mills	USA
Z5373110	Towne, Von and Gulgowski	UK
KK720402	Shanahan	U.S.A
AA82402	Globex	Japan
BB29729	Grant	France
B11764	Bernhard, Hettinger and Kautzer	New Zealand

EmployeeID	Name
AMER001	Alice
AMER99837	Bob
EMEA1207	Carlos
APAC3322	Grace
APAC92611	John
EMEA1304	Heidi

A global sales organization operates in three regions: AMERICAS, EMEA: and APAC. Each region stores its sales transactions in a separate database in which the employees update customer data through a third-party app. The data is

extracted into three QVDs.

A data architect sets up a two-tier architecture for the data load. The data architect needs to add the region to the data model.

Which technique should the data architect use to create the Region field?

- A. Create a Region field in the SalesTransaction table and populate using fixed region values while loading from each source
- B. Create a Region field in the Employee table and populate using the LTrim function on the EmployeeID
- C. Create a Region field in the Employee table and populate using the SubField function on the EmployeeID

D. Create a Region field in the SalesTransaction table and create a mapping table based on the Country field in the Customer table

Correct Answer: A

[Latest QSA2022 Dumps](#)

[QSA2022 VCE Dumps](#)

[QSA2022 Practice Test](#)