

1Z0-1114-23^{Q&As}

Oracle Redwood Application 2023 Developer Associate

Pass Oracle 1Z0-1114-23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-1114-23.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which three patterns are used in the Redwood Reference App? (Choose three.)

- A. Start Page
- B. Dashboard Landing Page
- C. Vertical Foldout
- D. Welcome Page
- E. Smart Filter and Search
- F. Data Grid Page

Correct Answer: ABE

This question tests your knowledge of the Redwood patterns that are used in the Redwood Reference App, which is a sample application that showcases the Redwood design system and the best practices for creating engaging user

interfaces with Visual Builder Studio. The correct answer is A, B, and E, because these are the three patterns that are used in the Redwood Reference App. The other options are incorrect, because they are not patterns, but components or

templates that can be used in different contexts.

Here is a brief description of each pattern:

Start Page: This pattern is used to provide an overview of the app's functionality and allow users to start a task or a workflow. It consists of a header with a title and subtitle, a primary action button, and a grid of cards with icons and labels.

Dashboard Landing Page: This pattern is used to display key performance indicators (KPIs) and a dashboard grid with information visualizations that highlight and explain business performance. It consists of a header with a title and subtitle,

a primary action button, an in-flow back button, and a dashboard grid with charts, gauges, or tables.

Smart Filter and Search: This pattern is used to enable users to filter and search data based on various criteria and see the results in a table or a list. It consists of a header with a title and subtitle, a smart filter bar with input fields and chips,

an optional search bar with suggestions, and a data grid or list with pagination and sorting.

References: [Redwood Reference App], [Redwood Patterns]

QUESTION 2

Dave deployed an AppUI extension to an instance by mistake.

How can he fix this?

- A. The extension will be removed in the next quarterly update of Fusion Cloud Apps.

- B. The extension can be undeployed in the Visual Builder Studio's Environment tab.
- C. The extension can be redeployed by opening a service request.
- D. The extension cannot be deleted once deployed.

Correct Answer: B

If Dave deployed an AppUI extension to an instance by mistake, he can fix this by undeploying the extension in the Visual Builder Studio's Environment tab. The Environment tab shows all theFA instances that are connected to Visual Builder Studio and allows you to deploy or undeploy extensions to them. To undeploy an extension, Dave can select the instance and click on the Undeploy button next to the extension name. This will remove the extension from the instance and restore the original UI of Fusion Cloud Apps. Therefore, option B is the correct answer. References: [Undeploying Extensions from Fusion Applications], [Managing Environments]

QUESTION 3

What is the correct way to access data from Fusion Apps in your AppUI extension?

- A. Use a service from the service catalog.
- B. Define a new service endpoint providing the direct service URL.
- C. Establish a JDBC connection to the Oracle Fusion Apps database.

Correct Answer: A

The correct way to access data from Fusion Apps in your AppUI extension is to use a service from the service catalog. The service catalog is a list of predefined service connections that are available for your AppUI extension. These service connections allow you to access and manipulate data from Fusion Apps using REST APIs. You can browse the service catalog and select the service that matches your data needs. References: : Service Catalog in Visual Builder Studio : Accessing Data from Fusion Apps in Visual Builder Studio

QUESTION 4

Jane created an AppUI extension in a workspace. She wants Troy to test it before she pushes it to Git.

How can she achieve this?

- A. By creating a shared workspace with Troy.
- B. By clicking the Publish button in her workspace.
- C. By choosing the Share option from the menu.
- D. By pushing the changes to a shared branch before pushing it to Git.

Correct Answer: C

This question tests your knowledge of how to share your AppUI extension in Visual Builder Studio with another developer for testing purposes. The correct answer is C, because you can choose the Share option from the menu in your

workspace editor to generate a URL that you can send to another developer who can access your extension in read-only mode. The other options are incorrect, because they are not the best ways to share your extension for testing purposes.

Here is why:

Option A is incorrect, because creating a shared workspace with another developer would allow them to edit your extension as well as view it, which might not be what you want.

Option B is incorrect, because clicking the Publish button in your workspace would push your changes to Git and also start a merge request, which might not be what you want if you are not ready to merge your changes yet. Option D is

incorrect, because pushing your changes to a shared branch before pushing it to Git would require you to create another branch and also ask the other developer to switch to that branch in their workspace, which might be more complicated

than simply sharing your URL.

References: [Sharing Your Workspace], [Publishing Your Changes]

QUESTION 5

By design, dialog messages interrupt the user and force them to make a decision.

Which three dialog message components are available in Redwood? (Choose three.)

- A. oj-sp-message-dialog-destructive
- B. oj-sp-messages-banner
- C. oj-sp-message-dialog-general
- D. oj-sp-smart-search-page
- E. oj-sp-message-unsaved-changes
- F. oj-sp-message-banner-unsaved-changes

Correct Answer: ACE

This question tests your knowledge of the dialog message components that are available in Redwood, which are used to interrupt the user and force them to make a decision. The correct answer is A, C, and E, because these are the three dialog message components that are available in Redwood. The other options are incorrect, because they are not dialog message components, but banner message components or page templates that can be used in different contexts. Here is a brief description of each dialog message component: oj-sp-message-dialog-destructive: This component is used to display a dialog message that warns the user about an irreversible action that will delete or destroy data. It has a red header with an icon and a title, a body with a message and an

optional description, and two buttons for canceling or confirming the action. oj-sp-message-dialog-general: This component is used to display a dialog message that informs the user about an action that requires their confirmation or input. It

has a blue header with an icon and a title, a body with a message and an optional description or input field, and one or more buttons for canceling or completing the action.

oj-sp-message-unsaved-changes: This component is used to display a dialog message that alerts the user about unsaved changes that will be lost if they navigate away from the current page. It has a yellow header with an icon and a title, a

body with a message and an optional description, and two buttons for discarding or saving the changes.

References: [Redwood Dialog Messages], [oj-sp-message-dialog-destructive], [oj-sp-message-dialog-general], [oj-sp-message-unsaved-changes]

[1Z0-1114-23 Practice Test](#)

[1Z0-1114-23 Study Guide](#)

[1Z0-1114-23 Exam Questions](#)