

1Z0-869^{Q&As}

Java Mobile Edition 1 Mobile Application Developer Certified
Professional Exam

Pass Oracle 1Z0-869 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-869.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Click the Task button.

Place the classes and methods in the correct positions.

Select and Place:

Place the classes and methods in the correct positions.

```
1.  sc1 = ( )
2.                                     Connector 
3.  sc2 = ( )
4.                                     sc1. 
5. sc2.setSocketOption(Delay, 0);
6. //...

16. DataInputStream is = sc2.openDataInputStream();
17.
18. DataOutputStream os = sc2.openDataOutputStream();
19. String result = is.readUTF();
20. os.writeUTF(result);
21. is.close();
22. os.close();
23. sc2.close();
24. sc1.close();
```

Classes and Methods

ServerSocketConnection	open("socket://:1234");	<input type="button" value="Done"/>
SocketConnection	acceptAndOpen();	

Correct Answer:

Place the classes and methods in the correct positions.

```

1. ServerSocketConnection sc1 = (ServerSocketConnection )
2.                               Connector.SocketConnection
3. SocketConnection sc2 = (open("socket://:1234");)
4.                               sc1.acceptAndOpen();
5. sc2.setSocketOption(DELAY, 0);
6. //...

16. DataInputStream is = sc2.openDataInputStream();
17.
18.
19. DataOutputStream os = sc2.openDataOutputStream();
20. String result = is.readUTF();
21. os.writeUTF(result);
22. is.close();
23. os.close();
24. sc2.close();
25. sc1.close();

```

Classes and Methods

ServerSocketConnection	open("socket://:1234");	<input type="button" value="Done"/>
SocketConnection	acceptAndOpen();	

QUESTION 2

Given:

HttpConnection conn =

(HttpConnection) Connector.open("http://internalsite:8080/");

and

MIDlet-Permission-Opt is set to javax.microedition.io.Connector.http in the JAD file.

What is the result?

- A. The application will install and execute without explicit user interaction.
- B. The application will install, but the application will not execute.
- C. The application will not install in the untrusted domain.
- D. The application will install and execute with explicit user interaction.

Correct Answer: D

QUESTION 3

Which classes and interfaces are available in CLDC?

- A. Vector, Hashtable, Iterator
- B. Vector, Hashtable, Stack, Enumeration
- C. List, ArrayList, Vector, Hashtable, HashSet
- D. List, Set, Vector, Hashtable

Correct Answer: B

QUESTION 4

Which two are true when deleting a record store? (Choose two.)

- A. If the record store is open, an exception will be thrown.
- B. For any registered listener of the record store, recordDeleted() will be called.
- C. The record store must be open prior to calling deleteRecordStore().
- D. The record store must be closed prior to calling deleteRecordStore().

Correct Answer: AD

QUESTION 5

Which JAD attribute must be present to begin the MIDlet suite authentication process using

- A. 509 PKI?
- B. MIDlet-Permission
- C. MIDlet-Jar-RSA-SHA1
- D. MIDlet-Certificate-n-m
- E. MIDlet-Permission-Opt

Correct Answer: B

QUESTION 6

Which four are direct subclasses of Screen? (Choose four.)

- A. Alert
- B. List

C. TextField

D. Form

E. TextBox

F. Canvas


G. Choice

Correct Answer: ABDE


QUESTION 7

Click the Task button. Place the MIDP 2.0 classes and interfaces in the correct positions in the hierarchy.

Select and Place:



Correct Answer:



QUESTION 8

The binding of networking protocols to a MIDlet at runtime can be compared to a type of relationship. Which relationship most closely matches the binding?

- A. caller and callee
- B. mark and sweep
- C. application and device drivers
- D. specification and implementation

Correct Answer: C

QUESTION 9

Which three methods can be used by a MIDlet to communicate with the Application Management Software? (Choose three.)

- A. getAppProperty()
- B. destroyApp()
- C. pauseApp()
- D. notifyPaused()
- E. notifyDestroyed()

Correct Answer: ADE

QUESTION 10

Given:

12.

```
canvas.repaint(x1,y1,wd,ht);
```

13.

```
canvas.repaint(x2,y2,wd,ht);
```

14.

```
canvas.serviceRepaints();
```

 Which two are true? (Choose two.)

- A. serviceRepaints() blocks waiting for paint() to return.
- B. paint() is called three times, once for each repaint() and once for serviceRepaints().
- C. paint() is always called twice, once for each repaint() request.
- D. If the two regions specified in repaint() overlap, repaint() may attempt to paint the union of the two areas.

Correct Answer: AD

QUESTION 11

A MIDlet suite running on a GSM phone successfully receives an SMS text message msg from another GSM phone. The suite is using a valid SMS MessageConnection object conn opened in server mode.

The suite tries to respond back using:

```
msg.setPayloadText("thank you!");
```

```
conn.send(msg);
```

Which is true?

- A. The code always fails because the connection object is missing an address for sending a response.
- B. The code can succeed because the connection object contains an address for sending a response.
- C. The code can succeed because the message object contains an address for sending a response.
- D. The code always fails because the message object is missing an address for sending a response.

Correct Answer: C

QUESTION 12

Which three are true for ChoiceGroup? (Choose three.)

- A. You can associate a Command object with a ChoiceGroup.
- B. When using images with a ChoiceGroup, all entries must specify an image.
- C. Images specified for entries may be mutable or immutable.
- D. ChoiceGroup.size() returns the index value of the last entry in a ChoiceGroup.
- E. You can specify different fonts for each ChoiceGroup entry.
- F. When using Choice.EXCLUSIVE, there must always be an element selected.

Correct Answer: ACF

QUESTION 13

Given a MIDP 2.0 device supports alpha blending, a MIDlet needs to render semi-transparent images of size 10x10 pixels. However, these images need to be generated at runtime. That is, they CANNOT be loaded as PNGs. What is the correct way to create a 10x10, red, semi-transparent image, using only the MIDP 2.0 API?

- A. use createImage() to create a mutable Image; first fill it with white pixels, then fill it with red pixels
- B. This is not possible. An Image with semi-transparency CANNOT be created at runtime.
- C. use createImage() to create a mutable Image, then fill it with red pixels
- D. use createRGBImage() to create an immutable Image from ARGB data with the desired values

Correct Answer: D

QUESTION 14

Which is used to retrieve the version of MIDP a device has implemented?

- A. System.getAppProperty("microedition.platform")
- B. System.getAppProperty("microedition.profiles")
- C. System.getProperty("microedition.configuration")
- D. System.getProperty("microedition.platform")
- E. System.getProperty("microedition.profiles")

Correct Answer: E

QUESTION 15

Which two events can result in the removal of a MIDlet's dynamic push connection registration? (Choose two.)

- A. Using a call to PushRegistry.removeConnection().
- B. Using a call to PushRegistry.unregisterConnection().
- C. Opening the connection using Connector.open().
- D. Using a call to PushRegistry.registerConnection().
- E. When MIDlet.destroyApp() is called.
- F. When the MIDlet is uninstalled.

Correct Answer: BF

[Latest 1Z0-869 Dumps](#)

[1Z0-869 Practice Test](#)

[1Z0-869 Study Guide](#)